

ABLOY PANIC BAR

MANUFACTURER:

Abloy Oy
Joensuu factory
Wahlforssinkatu 20
FI-80100 Joensuu
FINLAND

System or systems of
assessment and verification
of constancy of
performance of the
construction product:
AVCP 1

NOTIFIED PRODUCT CERTIFICATION BODY:


VTT Expert Services Ltd
ID No: 0809
P.O.Box 1001
FI-02044 VTT
FINLAND

Notified product certification
body performed the
determination of the
product type on the basis of
type testing (including
sampling), initial inspection
of the manufacturing plant
and of the factory
production control and
continuous surveillance,
assessment and evaluation
of factory production control
and issued the certificate of
constancy of performance
of the product.

No. 0809-CPD-0764

ABLOY PBE001
ABLOY PBE002
ABLOY PBE003
ABLOY PBE003

Category of use	3	High frequency of use	EN1125:2008
Durability	7	200 000 cycles	
Door mass	6	up to 200kg	
Suitability for use on fire/smoke doors	B	Suitable on fire doors	
Safety	1	Identified	
Corrosion resistance	3	96h	
Security	2	Confirmed	
Projection of operating element	1	Large projection	
Type of operation	A	Push bar operation	
Field of door application	A	Single door, double exit door: active or inactive leaf	



27.06.2013 Abloy Oy
Jaakko Meriläinen
Vice President
Architectural Hardware